Dual

vacuum

belts

Adjustable

outside

belts



Vacuum Transport System

Overview

Streamfeeder's Vacuum Transport Systems (VTS) provide an automated foundation for labeling, marking & coding, printing, barcode reading, tipping and more. Our systems can be configured to meet your product specifications.

The open frame design allows clearance for peripheral equipment such as ink jet heads, labelers, bar code readers, cameras, glue systems, as well as feeders and placers for product tipping. Use off-line or in-line with other equipment at speeds up to 500 feet per minute. Optional features can be added to reduce operator labor.

Standard Features

- 65" aluminum deck
- Product alignment guides

High-temp resistant belts

Shingling conveyor

- Adjustable outer belts Push button controls
- Casters
- Push button controlsVariable speed control
- Dual vacuum belts

Optional Features

- Bump turn
- Catch tray
- Counter
- Diverter
- Glue systems
- Laptop/monitor stand Various deck lengths

Applications

- Addressing
- Attaching
- Coding
- Date stamping
- Labeling

Products

- Backer board
- Booklets
- Brochures
- Cardstock
- Collapsed cartons
- Envelopes

Printing

Placers

Plow folds

Turnover

- Scanning
- Tip-On/Affixing
- Tabbing
- Verification
- Folded documents
- Folders
- Manuals
- Post cards
- Sheet paper
- Tyvek and foil pouches

Contact our experienced sales team today for a comprehensive review of your application/product and see how our Vacuum Transport System can benefit your company.

AMBEC | CBI | Fleetwood | Goldco | Nigrelli | Streamfeeder | SWF | Thiele | Tisma



Streamfeeder - BW Integrated Systems 315 27th Avenue Northeast | Minneapolis, MN 55418 USA +1 (763) 502-0000 | Streamfeeder.com BWPackagingSystems.com



Friction Feeder

(V-2000LS shown)

Product

alignment

65" (165 cm). Other lengths available

Deck Height 33"-37" (84-91 cm)

Utilities

115vac, 50/60Hz, 7A

Warranty One year limited

Higher speeds and other sizes/thickness capabilities available.

